

*CinemaSITE*  
*Signature In-wall Theater Environment*



**Introducing CinemaSITE™ by RBH**  
(Signature In-wall Theater Environment)

CinemaSITE is furniture-grade cabinetry combined with Signature In-wall speakers, providing a high-quality, home theater environment. CinemaSITE can be installed in hours rather than days or weeks, without the costly expense of a custom cabinet maker.

***Integration:***

Placing speakers into custom or built-in cabinetry is nothing new; RBH has been providing high-quality, high-value custom speaker solutions for over 28 years. However, custom designed home theater furniture can be costly and can take extra time to design, build and install. CinemaSITE is high quality, customizable home theater furniture which can be installed quickly and represents a great value. CinemaSITE is also designed specifically for, and features the quality sound of, RBH Signature In-wall speakers.





***Simplicity:***

The standard RBH CinemaSITE theater system consists of three main components: the main front cabinet and two surround columns. The entire cabinet system is secured using Allen type bolts which can be assembled using the supplied tools. The front cabinet assembles quickly and securely to accommodate a 92 to 110-inch 16:9 projection screen\*, the front three audio channels and the subwoofer system. Additional surround columns are easily added for supplementary channels and future surround sound formats.

***Configuration:***

Your choice of Signature In-wall speakers is easily mounted using RBH's innovative channel and steel pin mounting system. The columns and the lower panel are each designed to accommodate any configuration of the three RBH Signature In-wall models SI-740, SI-760 or SI-6100. The front columns also house the SI-12 Signature In-floor/In-ceiling subwoofer, if desired.

***Finishes:***

While CinemaSITE can be ordered pre-finished in mahogany-stained maple or cherry-stained maple finishes, CinemaSITE can also be provided in unfinished maple veneer. CinemaSITE can then be custom finished to coordinate with other décor for a truly custom-matched home theater.




*unfinished mahogany cherry*

\*Projection screen, additional furniture and accessories not included. Color reproductions in this printed material may vary from actual hardwood colors.



Many configurations are possible using one of four Signature Series In-wall model choices for each speaker location.




### CinemaSITE Specifications

#### Front Cabinet:

- Center Speaker: SI-740/SI-760/SI-6000/SI-6100
- Left Speaker: SI-740/SI-760/SI-6000/SI-6100
- Left Subwoofer: SI-12\*/SI-1010\*\*
- Right Speaker: SI-740/SI-760/SI-6000/SI-6100
- Right Subwoofer: SI-12\*/SI-1010\*\*
- Overall Width: 136"
- Overall Height: 95"
- Overall Depth: 17"
- Projection Screen: 92" to 110" (16:9 aspect)
- Actual Screen Area: 100½"W x 58½"H

#### Surround Columns:

- Left Speaker: SI-740/SI-760/SI-6000/SI-6100
- Right Speaker: SI-740/SI-760/SI-6000/SI-6100
- Overall Width: 20"
- Overall Height: 95"
- Overall Depth: 8"



RBH's Signature In-wall speakers are designed to provide exceptional sound quality in a custom, built-in environment. These speakers are built with the same high quality components used in our award-winning Signature Series conventional floor-standing speakers.

All RBH Signature In-wall speakers include a rigid MDF (medium density fiberboard) enclosure and are intended for new construction or renovation applications. The SI-740, SI-760, SI-6000, SI-6100 and SI-10 are designed to fit in a standard 16-inch (on center) stud-framed wall, while the SI-1010 and SI-12 are for in-floor or in-ceiling installation. The SI-770 is specifically designed to fit in custom-built entertainment centers. The SI-10, SI-12 and SI-1010 are available with a separate subwoofer power amplifier (SI-10P/SI-12P/SI-1010P).

RBH's Signature In-wall speakers are for someone who wants purity of sound built into their home, which until now, has only been available in high-end freestanding loudspeakers.



#### SI-740\* 2-Way In-wall

- Drive Units: 6½" (164mm) woofer  
1" (25mm) tweeter
- Power: 150 Watts
- Sensitivity: 88dB<sup>(2.83V @ 1 Meter)</sup>
- Impedance: 8 Ohms
- Cabinet Dimensions: 14"W x 28"H x 3½"D
- Baffle Dimensions: 8"W x 12¾"H
- Frequency Response: 60Hz - 20kHz ±3dB
- Crossover Frequency: 2700Hz
- Weight: 30 Lbs.



#### SI-760\* 2-Way In-wall

- Drive Units: 2-6½" (164mm) woofers  
1" (25mm) tweeter
- Power: 200 Watts
- Sensitivity: 90dB<sup>(2.83V @ 1 Meter)</sup>
- Impedance: 4 Ohms
- Cabinet Dimensions: 14"W x 28"H x 3½"D
- Baffle Dimensions: 8"W x 20"H
- Frequency Response: 60Hz - 20kHz ±3dB
- Crossover Frequency: 2700Hz
- Weight: 33 Lbs.



#### SI-770\* 2-Way In-wall

- Drive Units: 2-6½" (164mm) woofers  
1" (25mm) tweeter
- Power: 200 Watts
- Sensitivity: 90dB<sup>(2.83V @ 1 Meter)</sup>
- Impedance: 4 Ohms
- Cabinet Dimensions: 8¾"W x 22"H x 11½"D
- Video Shielding: Standard
- Frequency Response: 45Hz - 20kHz ±3dB
- Crossover Frequency: 2700Hz
- Weight: 39 Lbs.



#### SI-6000 2½-Way In-wall

- Drive Units: 4-6½" (164mm) woofers  
1" (25mm) tweeter
- Power: 250 Watts
- Sensitivity: 90dB<sup>(2.83V @ 1 Meter)</sup>
- Impedance: 6 Ohms
- Cabinet Dimensions: 14"W x 56"H x 3½"D
- Baffle Dimensions: 8"W x 44"H
- Frequency Response: 40Hz - 20kHz ±3dB
- Crossover Frequency: 2500Hz, 150Hz
- Weight: 59 Lbs.




#### SI-6100\* 2-Way In-wall

- Drive Units: 4-6½" (164mm) woofers  
3-1" (25mm) tweeters
- Power: 500 Watts
- Sensitivity: 92dB<sup>(2.83V @ 1 Meter)</sup>
- Impedance: 6 Ohms
- Cabinet Dimensions: 14"W x 56"H x 3½"D
- Baffle Dimensions: 8"W x 44"H
- Frequency Response: 40Hz - 20kHz ±3dB
- Crossover Frequency: 2500Hz
- Weight: 62 Lbs.




#### SI-10 In-wall Subwoofer

- Drive Unit: 10" (254mm) woofer
- Power: 200 Watts
- Sensitivity: 88dB<sup>(2.83V @ 1 Meter)</sup>
- Impedance: 4 Ohms
- Cabinet Dimensions: 14"W x 56"H x 3½"D
- Baffle Dimensions: 12¼"W x 14"H
- Frequency Response: 30Hz - 200Hz ±3dB
- Crossover Frequency: N/A
- Weight: 54 Lbs.



#### SI-12 In-floor/In-ceiling Subwoofer

- Drive Unit: 12" (303mm) woofer
- Power: 250 Watts
- Sensitivity: 88dB<sup>(2.83V @ 1 Meter)</sup>
- Impedance: 4 Ohms
- Cabinet Dimensions: 14"W x 9"H x 42"D
- Baffle Opening: 12" W x 6" H
- Frequency Response: 30Hz - 200Hz ±3dB
- Crossover Frequency: N/A
- Weight: 56 Lbs.



#### SI-1010 In-wall Subwoofer

- Drive Unit: 2-10" (254mm) woofers
- Power: 400 Watts
- Sensitivity: 89dB<sup>(2.83V @ 1 Meter)</sup>
- Impedance: 4 Ohms
- Cabinet Dimensions: 14"W x 56"H x 3½"D
- Baffle Dimensions: 12¼"W x 14"H
- Frequency Response: 28Hz - 200Hz ±3dB
- Crossover Frequency: N/A
- Weight: 68 Lbs.



**RBH Sound**

Layton, Utah • USA (800) 543-2205 • (801) 543-2200 • www.rbhsound.com

**Redefining the way you experience sound.™**

\*Signature Series  
Cross-reference:  
SI-740 = 61-SE  
SI-760 = 661-SE  
SI-770 = 661-SE  
SI-6100 = T-1

\*SI-12/P (powered) also available  
\*\*SI-1010/P (powered) also available