

technical information sheet



2-way Dual Channel In-ceiling Speaker

Applications:

This speaker combines two separate voice coils and a dual cone design, allowing both right and left channels of a stereo signal to be attached to a single speaker. Where fidelity, stereo sound and affordability are needed from a single point source, this speaker is the answer.

Technical Information:

Model Name/Number:	A-504D
Primary Use:	In-ceiling
Series:	Architectural Series
System Type:	Dual Channel
Frequency Response:	60Hz — 14kHz ± 3dB
Sensitivity:	88dB (2.83 Volts @ 1 Meter)
Recommended Power:	10-75 Watts
Drive Units:	(1) 5¼″ PolyGraphite Woofer
	(1) 1" Mylar Cone Tweeter
Tweeter Protection:	N/A
Crossover Frequency:	N/A
Crossover Slope:	N/A
Impedance:	8 Ohms x2
Color:	White Frame (paintable)
Grille:	White (paintable)
Installation Bracket:	Included
Blank Plate:	BP-5R*
New Construction Bracket:	NCB-5R*
Rear Enclosure:	BC-5R*
Video Shielding:	Yes
Finished Dimensions:	8¼″ Dia. x 2½″ D
Cutout Dimensions:	6³¼″ Dia.
Weight:	2 Lbs.
Warranty:	25 Years**





RBH Sound Layton, Utah • USA (800) 543-2205 • www.rbhsound.com