

TK-6

IN-WALL SPEAKER



The TK-6 in-wall speaker is the result of the perfect integration between a 6½-inch fiberglass woofer and a 1-inch aluminum dome swivel tweeter. High power handling capacity and uncompressed audio purist sound are the two characteristics of the TK-6. This speaker also features a tweeter output control switch so the sound contour can be custom tailored for each installation. The TK-6 truly represents bulletproof performance in a compact design.

R B HASSING
TM



REDEFINING THE WAY YOU EXPERIENCE SOUND.™

382 Marshall Way, Layton, Utah • USA • 84041 • Toll Free: (800) 543-2205 • Fax: (801) 543-3300 • www.rbhsound.com
It is RBH Sound policy to continuously incorporate improvements into products; all specifications are subject to change without notice. Copyright © 2008 RBH Sound. All Rights Reserved.

SPECIFICATIONS

MODEL NAME:

TK-6

SYSTEM TYPE:

In-wall 2-way Speaker

SERIES

TK Series

FREQUENCY RESPONSE

50Hz — 20kHz ± 3dB

SENSITIVITY

88dB (2.83 Volts @ 1 Meter)

RECOMMENDED POWER

15-120 Watts

DRIVE UNITS

(1) 6½" (165mm) Fiberglass Woofer

(1) 1" (25mm) Swivel Aluminum Dome Tweeter

TWEETER PROTECTION

Yes

CROSSOVER FREQUENCY

3,000 Hz

CROSSOVER

12dB/Octave

IMPEDANCE

8 Ohms

CABINET

Aluminum White Frame (paintable)

GRILLE

White Aluminum (paintable)

CUTOUT DIMENSIONS

7¼" W x 11" H

(184mm W x 279mm H)

FINISHED DIMENSIONS

8½" W x 12" H x 3⁹/₁₆" D

(216mm W x 305mm H x 90mm D)

WEIGHT

4.55 Lbs. (2.06 Kg)

WARRANTY

25 Years*



R B HASSING


TM

High Performance Home Audio
Redefining the Way You Experience Sound™

TK-6

IN-WALL SPEAKER

DIMENSIONS




ACCESSORIES

The below accessories are sold separately.

BLANK PLATE: BP-6

NEW CONSTRUCTION BRACKET: NCB-6

FREQUENCY RESPONSE GRAPH



*Warranted for 25 (twenty-five) years from date of purchase to be free from defects and workmanship. For more information see your RBH dealer.

Specifications are subject to change. For the most current information visit us online at www.rbhsound.com.