
SI-12/9 SI-1212/9

SI series



IN-FLOOR/IN-CEILING SUBWOOFERS POWERFUL BASS - OUT OF SIGHT



Your custom installed SI-1212/9 or SI-12/9 are sealed design, built-in subs, perfect for music and movies. The sealed design provides quick response and deep, accurate life-like bass.

Hidden in your floor or ceiling, the SI-1212/9 or SI-12/9 are your perfect solutions, providing clean aesthetics yet uncompromised performance. (requires 9" install depth.)



SI-12/9 SI-1212/9

The SI-12/9 and SI-1212/9 are single or dual 12-inch nonpowered subwoofers designed specifically to be installed in between ceiling or floor joists. The subwoofers play into your room through an ordinary HVAC vent griille and are the perfect subwoofers for home theaters, listening rooms, or anywhere strong, definitive bass is needed without being seen. Self resettinge protection circuitry is incorporated to prevent damage to the subwoofers if ever overdriven. We recommend using the RBH DA-1202 amp for the SI-12/9 and the DA-1802 amp for the SI-1212/9.


SI-SERIES IN-WALL Subwoofer

- Proprietary damped, accurate, high power-handling, aluminum subwoofer drivers
- Smart protection circuitry is incorporated to prevent driver damage if over driven
- Sealed design in cabinet sized for optimal tuning resulting in stellar low-end performance.
- Multiple options in the SI series are designed for a wide range of requirements
- SI series options include in-wall, in-floor and in ceiling to provide installation solutions



*Limited Warranty for 10 years (with registration) from date of purchase to be free from defects and workmanship. For more information contact your RBH dealer or check our website.

It is RBH Sound policy to continuously incorporate improvements into products; all specifications are subject to change without notice. For the most current information visit us online at https://rbhsound.com. Copyright ©2023 RBH Sound. All Rights Reserved.



	_	
MODEL NAME:	SI-12/9	SI-1212/9
SYSTEM TYPE:	Sealed, in-floor/in-ceiling, non-powered	Sealed, in-floor/in-ceiling, non-powered
SERIES:	Signature Series Subwoofers	Signature Series Subwoofers
FREQUENCY RESPONSE:	22Hz-200Hz (±3dB) (when using RBH DA-1202DSP Subwoofer Amplifier)	20Hz-150Hz (±3dB) (when using RBH DA-1802DSP Subwoofer Amplifier)
SENSITIVITY:	86dB (2.83 Volts @ 1 Meter)	90dB (2.83 Volts @ 1 Meter)
RECOMMENDED POWER:	100-600 Watts	200-1200 Watts
DRIVE UNITS:	(1) 12" (305mm) Aluminum Cone	(2) 12" (305mm) Aluminum Cone
AMPLIFIER TYPE:	(requires external amplification)	(requires external amplification)
INPUT CONNECTORS:	Metal Spring Loaded Terminals	Metal Spring Loaded Terminals
COMPONENTS:	Cabinet, Woofers, Term Cup, HVAC Grille	Cabinet, Woofers, Term Cup, HVAC Grille
IMPEDANCE:	8Ω	4Ω
CABINET:	High Density Fiberboard (HDF) Black Satin Paint	High Density Fiberboard (HDF) Black Satin Paint
GRILLE:	6"x12" HVAC Vent Grille	6"x12" HVAC Vent Grille
FINISHED DIMENSIONS:	13-1/2" W x 42" H x 9" D (335mm W x 1066mm H x 229mm D)	13-1/2" W x 56" H x 9" D (335mm W x 1423mm H x 229mm D)
WEIGHT:	60 lbs. (25.40 kg)	85 lbs. (38.55 kg)
WARRANTY:	*10 Year Limited	*10 Year Limited

Designed, Engineered, Tested and Assembled in USA from American and imported parts

RBH Sound • 382 Marshall Way, Ste A, Layton, Utah • USA • 84041 (801) 543-2200 • https://rbhsound.com